

# Index

- Abalone, 11, 15, 80–81, 99, 407  
Anchoring net pens, 65, 138–139, 408  
Antibiotics, 136, 367  
Antifoulants, 105, 150  
Aquaculture  
    cages (*see* Cages and net pens)  
    environmental impacts (*see* Environmental Impacts of Aquaculture)  
    flow-through (*see* Flow-through systems)  
    global production, 8, 12, 80, 121, 158, 239  
    net pens (*see* Cages and Net Pens)  
    origins, 33, 122, 192  
    ponds (*see* Ponds)  
    production by country, 10, 28  
    production by environment, 12  
    production by species category, 12, 80, 121  
    production by system, 194  
Aquaponics, 75–76, 343–386  
Assimilation (or Assimilative) capacity  
    factors affecting, 219, 224, 232, 234, 289, 335  
    feed management and, measures of, 220  
    nutrient loading and, 319–320  
    organisms involved in, 291, 294–296, 298  
    ponds and nutrient loading, 72, 208, 215  
    production systems and, 226–228, 279, 310–311  
Atlantic salmon, 11, 19, 23, 29–32, 55, 125, 127, 148–149, 228  
Baffles, 185, 325, 332, 354–355  
Benthic impacts, 119, 124, 129, 136, 139, 149–151  
Biodiversity, 113  
Biofiltration, 249, 254, 257, 261, 263, 344, 346, 357–359, 364  
Biofouling, 104, 148, 150  
Biosecurity, 38, 248–249, 280, 288, 297, 299  
Birds as predators, 86, 128, 163, 197, 234, 311, 339  
Bivalve molluscan aquaculture, 61, 67, 79–115, 318, 399  
Blue mussel, 56, 81  
Bouchot system, 42  
Cages  
    freshwater and inshore marine, 119–129, 201  
    future, 404–407  
    history, 29–30, 43–44  
    hybrid systems, 76–77, 324, 388–394  
    offshore marine, 135–154  
    open systems, 58, 60, 67–69  
    shellfish, 88–89, 98, 101, 111  
    waste, 227

- Capture fisheries, 4–5, 8–9, 16, 153, 159, 168–169, 399, 404
- Carp
- bighead, 10, 166
  - characteristics, 56, 65, 121, 123, 125, 194, 207–208, 224, 301, 318
  - collective (all species), 10–11, 32, 168
  - common, 10
  - grass, 10
  - history, 17–18, 20, 207
  - polyculture, 26, 41, 127, 200, 203, 223, 408
  - reservoir ranching, 164–170
- Carrying capacity
- aquaponics, 349–350, 352
  - flow through systems, 174, 180–184
  - in-pond raceways, 392
  - partitioned aquaculture systems, 311, 314, 316–317, 325, 331, 338
  - ponds, 58, 61, 71–72, 232, 311, 403
  - net-pens and cage sites, 31, 43, 137
  - recirculating aquaculture systems, 74, 232, 270–273, 276
  - shellfish sites, 112–113
- Catfish farming
- culture methods, 71, 120–121, 123, 125–127, 129, 169, 195, 207, 232–234, 331, 333, 335, 336, 349, 390
  - energy required, 225
  - environmental requirements and water quality, 56, 57, 194, 210–214, 217–219, 221, 224
  - feed and natural foods, 216–218, 224, 239
  - history, 18, 23–25, 32
  - production levels, 193, 203, 309–310, 316–320, 326, 330, 335, 391
  - water requirements, 69, 184, 200–201, 321
  - waste treatment, 226–227, 238
- Chemicals
- antifoulants, 105
  - disease treatments, 176, 231
  - fertilizers, 73, 205–207, 216, 218
- China
- aquaculture, 12, 16–18, 25, 27, 32, 37–38, 41–43, 79–82, 121–122, 127, 148, 160, 165–167, 171, 194, 207, 240, 407
  - aquaculture production, 9–10
  - fish consumption and trade, 4, 6–7
- Clams
- culture methods, 88, 100–103, 107
  - global production, 80, 81
  - history, 42, 79
- Coastal areas and management, 31, 111, 136–138, 152, 196, 207, 238–241
- Consumptive water use, 184, 195, 198–201, 237, 280, 302, 321, 344
- Crassostrea ariakensis* (Suminoe oyster), 80, 110, 114
- Crassostrea gigas* (Pacific oyster), 10, 42, 55, 80, 83, 108–110, 114
- Culture intensity (*see* Intensity)
- Denitrification, 218–220, 255, 279, 296, 321, 370
- Depuration, 107, 228
- Diet composition, 62, 91, 121, 126, 129, 207, 239–240, 297, 301, 372, 396–400
- Disease
- measures, 28, 32, 44, 68, 280, 391–392
  - fish, 30, 70, 123–124, 128, 136, 176, 178, 181, 233–234, 316, 323–324, 339, 345, 349, 352, 363, 372, 375–376
  - molluscan shellfish, 83, 90, 108–111, 114
  - shrimp, 37–39, 41, 248
  - transmission between cultured and wild, 126, 150–152, 199
- Eastern oyster, 42, 80, 84, 108
- Eastern Snake Plain Aquifer, 184
- Economics, 41, 88–89, 92, 129, 135–136, 203, 206–208, 234, 240, 302, 321, 340
- Ecosystem or ecological services, 53, 62, 65, 68, 129, 192, 201–202, 208, 223–224, 231, 236, 279, 309, 408–409
- Effluents, 149, 173, 176, 182, 195, 198, 216–217, 222, 251, 279–280, 300, 327, 336, 344–345, 353, 356–357
- Embankment ponds, 195–200
- Energy use in aquaculture
- aquaponics, 345, 367
  - biofloc systems, 286, 291, 297
  - environmental (solar, wind, currents, waves), 160–162, 192–193, 224, 291
  - in-pond raceways, 391
  - intensification vs. energy, 64–65, 69, 88, 225, 241
  - partitioned aquaculture systems, 314, 321, 330–333, 340
  - physiological or feed energy, 41, 52, 59–60, 92, 104, 110, 207, 291, 293
  - ponds, 207–213, 224–226, 231

- recycle systems, 58, 252, 279
- shellfish systems, 100
- Environmental impacts of aquaculture
  - Atlantic salmon, 30, 136
  - aquaponic systems, 344, 357, 376
  - biofloc systems, 279–280, 288, 298, 300, 301
  - cage culture, 120, 124, 136–137, 149–151, 153, 226, 237
  - exotic species, 114
  - feed issues, 301, 396–398
  - flow-through raceways, 226, 237, 388
  - industry wide, 66
  - in-pond raceways, 393–394
  - intensification vs., 43
  - partitioned aquaculture systems, 310, 321, 328
  - ponds, 195, 216–218, 237–241, 31
  - positive, 66, 113, 128, 399–402, 407–408
  - recycle systems, 246–247, 254, 344
  - shellfish, 66, 112, 113, 114
  - shrimp, 36, 38, 330
- European flat oyster, 42, 80, 108
- Excavated ponds, 196–198
- Facility construction
  - aquaponics, 345, 363, 381, 383
  - cages and net pens, 123, 129, 142–143
  - flow-through systems, 179
  - freshwater ponds, 71, 196, 199, 226, 240
  - in-pond raceways, 389
  - molluscan shellfish,
    - partitioned systems, 313, 333, 338
    - recirculating systems, 252
- Feed conversion ratio, 333, 344, 351, 378, 392
- Feeds
  - biofloc systems, 281–302
  - cages, 122–123, 26, 129
  - costs, 25, 235, 241, 280
  - external inputs (prepared diets), 24, 184, 192, 202–203, 206–208, 224, 391
  - fish meal as a component, 7, 44, 153, 238, 240, 301, 395–398
  - intensification of production, 60–62, 68, 235, 308–310, 403
  - internal sources (natural foods), 62, 84, 96, 123, 158, 167, 203–208, 318
  - larval, 33–36, 52
  - ponds, 72, 192–193, 206–208, 216–222
  - raceways, 69
  - recycle systems, 74, 267, 268
  - shellfish, 84, 96, 102
  - sustainability and, 136, 150, 237
  - “trashfish” 126, 396
  - waste outputs vs. feed inputs, 216–222, 228, 261, 267, 268, 288
- Feeding methods and systems
  - automated, 126, 143, 146–147, 186, 332, 391, 406
  - behavior and, 16, 126, 128, 136, 299, 351
  - larval & juvenile, 20, 94
- Feedstuffs
  - fishmeal, 4, 7, 24, 44, 121, 126, 129, 153, 193, 207, 224, 238, 239–240, 297, 301, 395–399
  - raw or trash fish, 122, 126, 396
  - used in aquaculture feeds, 126, 192, 224–225
- Fertilization of ponds, 61–62, 64, 73, 84, 159, 193, 195, 202–210, 212, 214, 215–218, 220, 222–224, 227, 236, 279, 300
- Fish oil, 44, 126, 129, 153, 192, 223, 301, 395–396, 398, 410
- Fisheries
  - feed fish, 4, 7, 150, 396–399
  - global catch, 4–9
  - overexploitation, 5, 77, 81, 114–115
- Fishmeal
  - energy costs, 192
  - environmental concerns, 238–239, 396–398
  - feed-fish equivalence, 397
  - fish nutrition, 24, 44, 153, 207, 240, 297, 301, 398
  - global production, 4
  - ocean area to produce, 224
  - uses, 7
- Floating Upwelling Systems (FLUPSYS), 100
- Flocculation, 254, 281, 283, 309, 320, 329
- Flow-through systems, 174–190
  - culture intensity, 181–184
  - effluents, 173, 176, 182
  - quiescent zones, 185–186
  - raceway types and designs, 174–175
  - rearing unit configurations, 175
  - settlings basins, 185–186
  - water budgets, 183–184
  - water sources, 177, 180
  - water use, 183–184, 201
- FLUPSYS (*see* Floating Upwelling Systems)

- Foam fractionation, 250, 254, 283, 289, 345  
 Footprint of aquaculture, 202, 222–225, 237, 240, 280, 302
- Global climate change, 13, 138, 398–400, 411  
 Groundwater, 55, 57, 70, 76, 180, 184, 196, 198–200, 238, 254, 336, 371
- Hagerman Valley (Idaho), 32, 57, 178  
 Hard clam (*Mercenaria mercenaria*), 43, 81, 90  
 Hatcheries, 16, 18–23, 27, 29, 31, 34–37, 39–42  
 Hydraulic retention time  
   aquaponics, 352, 355  
   flow-through systems, 70, 177  
   partitioned system (PAS), 328, 336  
   ponds, 237  
   recirculating aquaculture systems, 251, 275  
*Hypophthalmichthys molitrix* (silver carp), 10, 17, 123, 127, 165, 167–168, 203, 207
- Ictalurus punctatus* (channel catfish), 22–25, 56, 125–127  
 Idaho, 26, 32, 55, 57, 177, 178, 183, 184  
 Integrated aquaculture, 126–127, 153, 241, 343, 408, 411
- Intensity  
   biofloc systems, 288, 302  
   cages, 129  
   land use, 235, 237  
   major system categories, 65, 200, 235  
   ponds, 194, 201–203, 207–212, 214, 220, 223–225, 235  
   shellfish, 112
- Land application of solids, 254, 290, 301, 357  
 Land use in aquaculture and agriculture, 9, 69, 202, 222–227, 235–241, 246, 280, 300, 301
- Macrobrachium rosenbergii* (freshwater prawns), 10, 39–42, 56–57, 71, 408–409  
 Maine, 29–30, 33, 110  
 Mangroves, 238, 300  
 Manila clams, 43, 80, 114  
 Manufactured feeds (*see* Feeds)
- Marine fisheries  
   overexploitation, 5, 397  
   feed fish, 4–6, 192, 224, 239, 301, 396–398  
   global catch, 4, 5  
*Mercenaria mercenaria* (*see* hard clam),  
 Microscreen filters, 249, 252–253, 263, 353–354, 356  
 Mississippi, 22, 24, 41, 88, 196, 310, 323–324, 333–335, 410  
 Molluscan shellfish (*see also* Shellfish),  
   culture methods, 65, 67, 88–89, 93, 97–102, 400, 407  
   dredging, 42, 83, 106–107, 407  
   environmental impacts, 66, 86, 112–115, 406–407  
   global production, 79–81  
   hatcheries, 43, 64–65, 82, 84, 88–89, 91, 93–97  
   off-bottom culture, 42, 67, 82, 85, 90, 97–98, 101  
   on-bottom culture, 42, 43, 82, 85, 88–90, 96, 100–101, 107, 112  
   spat collection from wild, 42–43, 82, 88–91  
   species cultured, 10, 12, 15, 42–43, 80–81, 84, 114–115
- Mussel  
   blue, 56, 81  
   global production, 81
- Net pens,  
   benthic impacts, 136, 150  
   definition, 68, 120  
   disease management, 136, 150–152  
   environmental impacts, 43, 152, 226, 227  
   feed delivery methods, 143–144, 146–147, 153  
   harmful algal blooms, 229  
   history, 30, 404–405  
   interactions with site characteristics, 65, 138–139, 408  
   land use, 224  
   mooring, 138–142, 145–147  
   site fallowing, 136  
   solids collection, 409  
   species cultured, 30, 32
- Nutrients,  
   cage releases, 128, 149  
   freshwater pond effluents, 70, 124  
   partitioned systems, 327, 329  
   pollution, 300

- recirculating systems, 344
- recovery from net pens, 407, 409
- removal by shellfish, 66, 400
- retention by Atlantic salmon, 136
- reuse in aquaponics, 343–347, 353–354, 364–373
- shrimp pond effluents, 300
- Off-bottom shellfish culture, 42, 67, 82, 85, 90, 97–98, 101
- On-bottom shellfish culture, 42, 43, 82, 85, 88–90, 96, 100–101, 107, 112
- Oncorhynchus keta* (chum salmon), 31
- Oncorhynchus kisutch* (coho salmon), 19
- Oncorhynchus mykiss* (see rainbow trout), 18, 20, 25, 30, 32, 55, 57, 121, 127, 181, 186, 228, 271, 349, 390
- Oncorhynchus tshawytscha* (Chinook salmon), 19, 30, 32, 121
- Oreochromis* spp. (see Tilapia)
- Overexploitation of fisheries, 5, 397
- Oysters
  - culture methods, 42
  - disease, 108–109
  - disease-resistant, 109
  - dredging, 109
  - eastern, 56, 80, 82–84, 88, 100
  - european flat, 42
  - global productions, 79
  - olympia, 114
  - pacific, 10, 80, 114
  - suminoe, 114
  - ranching, 88–89
  - tetraploid, 110
  - triploid, 110
- Ozonation, 74, 249
- Penaeid shrimp (see Shrimp)
- Perca flavescens* (yellow perch), 55, 269, 390
- Polyculture, 16, 17, 23, 26, 41, 126–127, 164, 166, 200, 203, 223, 309, 335, 389, 390
- Pond aquaculture (see also Ponds, Shrimp ponds)
- Ponds (see also Shrimp ponds)
  - baitfish, 16, 195
  - channel catfish culture, 23–24, 57, 69, 71, 193–197, 200–201, 203, 210–220, 221, 224–229, 234, 238, 309, 321, 323, 333, 335
  - crayfish culture, 195, 199
  - culture intensity, 58, 60–62, 68, 71–72, 193, 202, 203, 224–225, 234, 286, 309–311,
    - definition, 191–192
  - effluents, 195, 198, 216–217, 222, 280, 300
  - energy use, 64, 68, 192, 208, 210, 213, 223–225, 231, 235–236, 241, 286, 302
  - global production from, 12–13, 194–195
  - hybrid striped bass, 195, 336
  - hydrology, 195, 227, 234–235, 238
  - land use, 198, 201–202, 207, 222–227, 235–241
  - off-flavors, 24, 227–229, 233–234
  - ornamental fish, 16, 195, 197, 214, 234, 349, 409
  - salinization from, 239
  - species cultured, 24, 32, 37, 40, 57, 193–195, 200, 203
  - traditional, 241
  - waste treatment in, 60–62, 72, 192–194, 202, 207–209, 215–227, 231–232, 236–238, 240–241, 308–310, 403
  - water budgets, 198–201
- Predator control (see also Predators)
  - cages, 128
  - freshwater ponds, 234, 236, 323, 333
  - molluscan shellfish aquaculture, 43, 67, 82, 84, 86–90, 94, 98, 100–101, 105–106, 111
  - net pens, 136, 139, 150, 152
  - recirculating aquaculture systems, 74
  - reservoirs, 163, 166
- Predators
  - birds, 86, 128, 163, 197, 223, 234, 311, 327, 339
  - crustaceans, 85, 86
  - echinoderms, 67, 86
  - fish, 86, 128, 163, 166, 397
  - mammals, 128
  - molluscan shellfish aquaculture, 43, 67, 82, 84, 86–90, 94, 98, 100–101, 105–106, 111
  - mollusks, 67, 86
  - net pens, 136, 139, 150, 152
  - pinnipeds, 128, 136, 139, 152
  - platyhelminths, 106
  - reptiles, 128
  - sharks, 152
- Procambarus clarkii* (red swamp crayfish)
  - culture, 195, 199
- Production intensity (see Intensity)

- Production statistics
  - cages, 121
  - global statistics, 8, 12, 80, 121, 158, 239
  - inland capture fisheries, 4–5, 169
  - marine fisheries, 4, 5
  - marine shrimp, 4, 10–11, 37–39, 42
  - molluscan shellfish, 79–81
  - ponds, 12–13, 194–195
  - trout, 30, 32, 55, 57
- Quiescent zones, 185–186, 332, 390
- Raceway (*see* Flow-through systems)
- Rainbow trout (*see also* Flow-through systems, Trout farming)
  - growth rates, 269
  - net-pen and cages, 121
  - polyculture, 127
  - recirculating aquaculture systems, 58
- Recirculating aquaculture systems
  - carrying capacity, 74, 232, 270–273, 276
  - definition, 74, 192
  - effluents, 226
  - energy used, 64
  - environmental impacts, 246–247, 254, 344
  - land use, 201, 222
  - species cultured, 247, 269
  - unit treatment processes, 247–249
  - water use, 200–201
- Reduction fisheries (*see* Feed fish, Fishmeal, Fish oil)
- Reservoirs, 13, 68, 123, 159–164, 166–167
- Resource use
  - energy, 58, 64–65, 68, 88, 100, 136, 160–161, 192, 208, 210, 213, 223–225, 231, 235–236, 241, 252, 279, 286, 297, 302, 314, 321, 330–331, 333, 340, 345, 367, 391, 411
  - feeds, 24, 27, 34–35, 44, 59–62, 68–69, 122–123, 126–127, 128–129, 184, 186, 192–193, 202–203, 206–209, 212, 216–223, 224–225, 227, 235–239, 241, 250, 266–268, 279–288, 290, 292–302, 309–311, 321, 325, 364–366, 370–371, 391, 396, 398, 411
  - land, 9, 69, 202, 222–227, 235–241, 246, 280, 300, 301
  - water, 69, 74, 176–177, 184, 195, 198–201, 237, 246, 253, 255, 279–280, 300–302, 321, 344
- Salmon farming (*see* Atlantic salmon, Net pens)
- Salmo salar* (*see* Atlantic salmon)
- Scallop, bay, 81
- Scallop, sea, 81, 90
- Scallops
  - culture methods, 81–82, 97, 99, 101–103, 407
  - dredging, 106
  - global production, 80–82
- Sediment basins (*see* Settling basins)
- Sediments,
  - changes, 120, 149, 151
  - disposal, 288
  - interactions in ponds, 205–206, 209–212, 217, 219–222
  - organic matter in shrimp pond, 288–289
  - organic matter near cage or net pen sites, 120, 139, 149, 151
  - treatments, 289
- Settling basins
  - design procedure, 252
  - flow-through systems, 185–186
  - off-line, 185–186
  - quiescent zones, 185–186
  - recirculating system, 249
- Shellfish farming (*see also* Molluscan)
  - shellfish aquaculture,
    - clam culture, 80, 81, 88, 100–103, 107
  - culture methods, 65, 67, 88–89, 93, 97–102, 400, 407
  - genetic improvement in, 109–110
  - global production, 79–81
  - mussel culture, 81
  - oyster culture, 79
  - polyculture with net-pen cultured fish, 127, 406–407
  - regulatory requirements, 113–115
  - scallop culture, 80–82
- Shrimp farming (*see also* Shrimp, Shrimp ponds)
- Silver carp, 10, 17, 123, 127, 165, 167–168, 203, 207
- Site selection
  - flow-through systems, 57, 177, 180, 187
  - freshwater ponds, 70–71, 235, 240
  - molluscan shellfish aquaculture, 65, 111–115
  - net pens and cages, 65, 119, 124, 136, 138–139, 151
  - open systems, 65
  - recirculating aquaculture systems, 57–58

- Sludge (*see* Solids and sediment)
- Soils  
   pond construction, 70–71
- Solids management,  
   aquaponics, 345–347, 352–358, 360–365,  
     368–370, 376–377, 379  
   biofloc, 61, 74, 288–290, 295–296, 301  
   flow-through systems, 174, 185–186  
   in-pond raceway, 388, 390, 392–393  
   net-pen aquaculture, 405  
   partitioned system, 77, 309, 313, 315,  
     330–331  
   pond, 72, 211, 215–219, 222  
   recirculating aquaculture systems, 61, 74,  
     246–254, 256–257, 263, 265–269, 272
- Spat collection, 42–43, 82, 88–92, 94–97,  
   99–100
- Sustainability  
   aquaponic systems, 375  
   biofloc systems, 278–280, 290, 298,  
     300–303  
   cages, 136  
   economic, 233–237, 279  
   future, 401, 404, 411  
   in-pond raceways, 393  
   ponds, 217, 233, 237–240  
   recycle systems, 246–247  
   reservoir ranching, 159, 171  
   shellfish, 113  
   trophic integration, 407
- Swirl separators, 249, 250, 252, 353
- Tilapia  
   aquaponics, 344, 346–352, 355–357,  
     362–366, 377–382  
   biofloc, 279–281, 283–284, 286, 288,  
     290–291, 298, 301–302  
   cages, 120–123, 125, 127, 201, 262,  
     269  
   characteristics, 56–58, 221  
   history, 17, 23, 25–27  
   in-pond raceways, 390–391  
   partitioned aquaculture systems, 310,  
     313, 315–323, 327, 329, 331,  
     336–340  
   polyculture, 42, 335  
   ponds, 193–195, 200, 203, 224  
   recycle systems, 246–247, 262, 269–271  
   reproduction, 232  
   reservoir ranching, 165, 169
- Trade  
   international seafood, 1, 6–7, 38, 409
- Trophic levels  
   aquaculture, 163, 165, 167–168, 407  
   capture fisheries, 397  
   cultured species, 164, 203, 224, 237–241,  
     407  
   energy use and, 64–65, 68, 88  
   environmental impacts and, 149
- Trout farming (*see* Rainbow trout and  
   Flow-through systems)
- User conflicts, 44, 106, 112–114, 124,  
   128–129, 136–137, 139, 153, 164, 199,  
   238–239
- Water budgets  
   flow-through systems, 183–184  
   ponds, 198–201
- Water conservation, 184
- Water exchange  
   aquaponics, 344–345, 352, 364–365, 368,  
     371  
   biofloc systems, 279–281, 288–289, 292,  
     297, 299–301  
   Cages, 128, 152  
   flow-through raceways, 179, 181,  
     183–184  
   in-pond raceways, 388–389  
   partitioned aquaculture system, 332–333,  
     335–336  
   ponds, 193, 199–202, 208–210, 220–222,  
     226, 231, 236–238, 250, 261, 268  
   shrimp, 35
- Water resources  
   aquaculture and, 57, 69, 76, 164, 169,  
     176, 179–180, 200–201, 223, 235,  
     240–241, 279, 300–301
- Water reuse,  
   aquaculture, 73, 218, 246, 255, 295, 302,  
     327–328  
   flow-through systems, 60, 69, 175,  
     178–180, 183
- Water use  
   flow-through systems, 183–184  
   ponds, 198–201  
   recirculating aquaculture systems,  
     200–201
- Water velocity, 128, 138, 146, 174,  
   183–185, 251, 260–261, 289, 311,  
   313–316, 336
- Watershed ponds, 70, 196–200
- Yellow perch, 55, 269, 390